IMMUNOLOGY

CONTENTS

Vol. 69 No. 1 January 1990

J. N. FLYNN, G. D. HARKISS, T. DOEL & R. DIMARCHI: Analysis of immune responses in the sheep to synthetic peptides of foot-and-mouth disease virus using ovine polyclonal and monoclonal antibodies 1

T. OGAWA, H. SHIMAUCHI, Y. KUSUMOTO & S. HAMADA: Humoral immune response to *Bacteriodes gingivalis* fimbrial antigen in mice 8

B. FLEISCHER, S. FLEISCHER, K. MAIER, K. H. WIEDMANN, M. SACHER, H. THALER & A. VALLBRACHT: Clonal analysis of infiltrating T lymphocytes in liver tissue in viral hepatitis A 14

C. M. LAWSON, H. O'DONOGHUE, W. N. BARTHOLOMAEUS & W. D. REED: Genetic control of mouse cytomegalovirus-induced myocarditis 20

A. J. RAMSAY & M. J. HOLMES: A rabbit model for mucosal immunity in the bowel. II. Local cellular reactivity to virus infection 27

H. R. CHANG, G. E. GRAU & J. C. PECHÈRE: Role of TNF and IL-1 in infections with *Toxoplasma gondii* 33

B. M. GODDEERIS, W. I. MORRISON, P. G. TOYE & R. BISHOP: Strain specificity of bovine *Theileria parva*-specific cytotoxic T cells is determined by the phenotype of the restricting class I MHC 38

R. BUJDOSO, P. YOUNG, J. HOPKINS & I. MCCONNELL: IL-2-like activity in lymph fluid following *in vivo* antigen challenge 45

J. SANCÉAU, R. FALCOFF, F. BERANGER, D. B. CARTER & J. WIETZERBIN: Secretion of interleukin-6 (IL-6) by human monocytes stimulated by muramyl dipeptide and tumour necrosis factor alpha 52

R. D. J. BUTCHER, G. M. MCGARVIE & W. CUSHLEY: Recombinant interleukin-4 promotes expression of the CD25(Tac) antigen at the plasma membrane of high-density human tonsillar B lymphocytes 57

A. M. NESBITT, D. B. JONES & K. MOORE: Phenotypic changes in a $CD4^+$ lymphocyte subset correlate with a conversion from a suppressor to helper inducer function 65

D. DIAZ-SANCHEZ & D. M. KEMENY: The sensitivity of rat $CD8^+$ and $CD4^+$ T cells to ricin *in vivo* and *in vitro* and their relationship to IgE regulation 71

E. H. WHITBY, S. M. SPARHOTT & E. B. BELL: Allograft rejection in athymic nude rats by transferred T-cell subsets. I. The response of naive $CD4^+$ and $CD8^+$ thoracic duct lymphocytes to complete allogeneic incompatabilities 78

L. L. JOHNSON & D. L. HINES: Tumour-induced immunity to H-Y-disparate skin grafts without concomitant priming of CTL 85

I. TODD, L. J. HAMMOND, R. F. L. JAMES, M. FELDMANN & G. F. BOTTAZZO: Epidermal growth factor and transforming growth factor-alpha suppress HLA class II induction in human thyroid epithelial cells 91

G. M. HALLIDAY, R. C. WOOD & H. K. MULLER: Presentation of antigen to suppressor cells by a dimethylbenz (*a*) anthracene-resistant, Ia-positive, Thy-1-negative, I-J-restricted epidermal cell 97

B. M. J. FOXWELL, J. SIMON, J.-J. HERRERO, D. TAYLOR, G. WOERLY, D. CANTRELL & B. RYFFEL: Anti-CD3 antibody-induced expression of both p55 and p75 chains of the high affinity interleukin-2 receptor on human T lymphocytes is inhibited by cyclosporin A 104

B. SREDNI, Y. KALECHMAN, F. SHALIT & M. ALBECK: Synergism between AS101 and PMA in lymphokine production 110

T. YAMAUCHI, T. NAOE, Y. KUROSAWA, H. SHIKU & K. YAMADA: Autoantibodies to c-*myc* nuclear protein products in autoimmune disease 117

A. GARCIA-PARDO & O. C. FERREIRA: Adhesion of human T-lymphoid cells to fibronectin is mediated by two different fibronectin domains 121

P. C. WILKINSON: Relation between locomotion, chemotaxis and clustering of immune cells 127

M. BRENAN: Deficient responsiveness of ovine popliteal peripheral lymphocytes 134

J. IRVINE, G. F. J. NEWLANDS, J. F. HUNTLEY & H. R. P. MILLER: Interaction of murine intestinal mast cell proteinase with inhibitors (serpins) in blood; analysis by SDS–PAGE and Western blotting 139

F. LEVI-SCHAFFER & Z. BAR-SHAVIT: Osteoblast-like cell line maintains *in vitro* rat peritoneal mast cell viability and functional activity 145

J. W. COLEMAN: Conditioned medium from concanavalin A-stimulated spleen cells inhibits the IgE-dependent sensitization of murine peritoneal mast cells *in vitro* 150

P. MEGYERI, J. SADOWSKA, T. B. ISSEKUTZ & A. C. ISSEKUTZ: Endotoxin-stimulated human macrophages produce a factor that induces polymorphonuclear leucocyte infiltration and is distinct from interleukin-1, tumour necrosis factor α and chemotactic factors 155

H. OKAMOTO & K. NAKANO: Regulation of interleukin-1 synthesis by histamine produced by mouse peritoneal macrophages *per se* 162

T. WITTE, K. WORDELMANN & R. E. SCHMIDT: Heterogeneity of human natural killer cells in the spleen 166

Vol. 69 No. 2 February 1990

M. J. FRANCIS, G. Z. HASTINGS, B. E. CLARKE, A. L. BROWN, C. R. BEDDELL, D. J. ROWLANDS & F. BROWN: Neutralizing antibodies to all seven serotypes of foot-and-mouth disease virus elicited by synthetic peptides 171

A. CHILDERSTONE, J. HARON & T. LEHNER: The reactivity of naturally sensitized human CD4 cells and IgG antibodies to synthetic peptides derived from the amino terminal sequences of a 3800 MW *Streptococcus mutans* antigen 177

D. O'CALLAGHAN, D. MASKELL, J. TITE & G. DOUGAN: Immune responses in BALB/c mice following immunization with aromatic compound or purine-dependent *Salmonella typhimurium* strains 184

R. C. A. BARTHOLOMEUSZ, B. D. FORREST, J. T. LABROOY, P. L. EY, D. PYLE, D. J. C. SHEARMAN & D. ROWLEY: The serum polymeric IgA antibody response to typhoid vaccination; its relationship to the intestinal IgA response 190

D. A. A. VIGNALI, M. E. DEVEY, Q. D. BICKLE & M. G. TAYLOR: The role of antibody affinity and titre in immunity to *Schistosoma mansoni* following vaccination with highly irradiated cercariae 195

T. P. CHUA, C. E. SMITH, R. W. REITH & J. D. WILLIAMSON: Inflammatory responses and the generation of chemoattractant activity in cowpox virus-infected tissues 202

J. ZIELASEK, V. BURKART, P. NAYLOR, A. GOLDSTEIN, U. KIESEL & H. KOLB: Interleukin-2-dependent control of disease development in spontaneously diabetic BB rats 209

Y. MATSUMOTO, K. KAWAI, Y. TOMITA & M. FUJIWARA: Limiting-dilution analysis of the frequency of myelin basic protein-reactive T cells in Lewis, PVG/c and BN rats. Implication for susceptibility to autoimmune encephalomyelitis 215

K. YAMAMOTO, A. MORI, T. NAKAHAMA, M. ITO, H. OKUDAIRA & T. MIYAMOTO: Experimental treatment of autoimmune MRL-lpr/lpr mice with immunosuppressive compound FK506 222

S. MENDLOVIC, S. BROCKE, H. FRICKE, Y. SHOENFELD, R. BAKIMER & E. MOZES: The genetic regulation of the induction of experimental SLE 228

R. H. DANIELS, W. A. J. HOUSTON, M. M. PETERSEN, J. D. WILLIAMS, B. D. WILLIAMS & B. P. MORGAN: Stimulation of human rheumatoid synovial cells by non-lethal complement membrane attack 237

S. STEMME, G. FAGER & G. K. HANSSON: MHC class II antigen expression in human vascular smooth muscle cells is induced by interferon-gamma and modulated by tumour necrosis factor and lymphotoxin 243

T. C. R. PRICKETT & D. N. J. HART: Anti-leucocyte common (CD45) antibodies inhibit dendritic cell stimulation of CD4 and CD8 T-lymphocyte proliferation 250

J. N. MOY, R. D. NELSON, K. L. RICHARDS & M. K. HOSTETTER: Identification of an IgA inhibitor of neutrophil chemotaxis and its membrane target for the metabolic burst 257

A. HARTNELL, R. MOQBEL, G. M. WALSH, B. BRADLEY & A. B. KAY: Fcγ and CD11/CD18 receptor expression on normal density and low density human eosinophils 264

B. DE ANDRES, V. DEL POZO, E. MARTIN, P. PALOMINO & C. LAHOZ: Release of O_2^- and LTC_4 by murine eosinophils: role of intra- and extracellular calcium 271

A. G. POCKLEY & A. E. BOLTON: The effect of human placental protein 14 (PP14) on the production of interleukin-1 from mitogenically stimulated mononuclear cell cultures 277

M. N. NORAZMI, A. W. HOHMANN, J. M. SKINNER, L. R. JARVIS & J. BRADLEY: Density and phenotype of tumour-associated mononuclear cells in colonic carcinomas determined by computer-assisted video image analysis 282

M. H. THORNHILL, U. KYAN-AUNG, T. H. LEE & D. O. HASKARD: T cells and neutrophils exhibit differential adhesion to cytokine-stimulated endothelial cells 287

H. TAKAMATSU, T. COLLEN, D. L. TUCKER & M. S. DENYER: Characterization of long-term cultured bovine CD4-positive and CD8-positive T-cell lines and clones 293

R. M. E. PARKHOUSE: Three B-cell surface molecules associating with membrane immunoglobulin 298

G. W. WOOD, J. H. GREENWOOD & L. MAUSER: Growth of murine thymocytes *in vitro* in chemically defined medium 303

I. OHNO, Y. TANNO, K. YAMAUCHI & T. TAKISHIMA: Production of tumour necrosis factor by mastocytoma P815 cells 312

J. T. ROLL, K. M. YOUNG, R. S. KURTZ & C. J. CZUPRYNSKI: Human rTNFα augments anti-bacterial resistance in mice: potentiation of its effects by recombinant human rIL-1α 316

K. KIMURA, Y. ARATA, T. YASUDA, K. KINOSITA & M. NAKANISHI: Location of membrane-bound hapten with different length spacers 323

Brief communication

S. DENHAM, R. BARFOOT & J. SILLS: The rat FcR for monomeric IgG is preferentially expressed on red pulp macrophages in the spleen 329

Book reviews 332

Vol. 69 No. 3 March 1990

G. C. MUDDE, F. C. VAN REIJSEN, G. J. BOLAND, G. C. DE GAST, P. L. B. BRUIJNZEEL & C. A. F. M. BRUIJNZEEL-KOOMEN: Allergen presentation by epidermal Langerhans' cells from patients with atopic dermatitis is mediated by IgE 335

L. FLORES-ROMO, M. J. MILLSUM, S. GILLIS, P. STUBBS, C. SYKES & J. GORDON: Immunoglobulin isotype production by cycling human B lymphocytes in response to recombinant cytokines and anti-IgM 342

R. A. WATTS, C. T. RAVIRAJAN, N. A. STAINES & D. A. ISENBERG: A human fetal monoclonal DNA-binding antibody shares idiotypes with fetal and adult murine monoclonal DNA-binding antibodies 348

P. BIRD, J. E. CALVERT & P. L. ALMOT: Distinctive development of IgG4 subclass antibodies in the primary and secondary responses to keyhole limpet haemocyanin in man 355

G. S. NASH, R. P. MACDERMOTT, S. SCHLOEMANN, M. J. BERTOVICH, J. O'NEAL, L. PORTER & A. KULCZYCKI: Bovine IgG1, but not IgG2, binds to human B cells and inhibits antibody secretion 361

Y. S. Li, E. Kouassi & J. P. Revillard: Differential regulation of mouse B-cell activation by β-adrenoceptor stimulation depending on type of mitogens 367

L. M. Ferro & H. Zola: Modulation of expression of the antigen identified by FMC7 upon human B-lymphocyte activation: evidence for differences between activation *in vivo* and *in vitro* 373

H. E. Marshall, E. M. Bolton, J. A. Gracie, J. E. Cocker, G. P. Sandilands & J. A. Bradley: FcR blocking activity in serum of actively enhanced rat renal allograft recipients due to IgG anti-class II MHC alloantibody 379

T. Mineta, K. Seki, M. Matsunaga & M. Kimoto: Existence of mixed isotype $A_\beta E_\alpha$ class II molecules in E^d_α gene-introduced C57BL/6 transgenic mice 385

T. Miyata, K. Isobe, R. Dawson, M. A. Ritter, R. Inagi, O. Oda, R. Taguchi, H. Ikezawa, I. Inoue, H. Seo, M. Hasegawa, S. Kobayashi, K. Maeda, K. Yamada & I. Nakashima: Determination of the molecular nature and cellular localization of Thy-1 in human renal tissue 391

T. Hideshima, N. Okada & H. Okada: Expression of HRF20, a regulatory molecule of complement activation, on peripheral blood mononuclear cells 396

C. E. Lewis, S. P. McCarthy, J. Lorenzen & J. O'D. McGee: Differential effects of LPS, IFN-γ and TNFα on the secretion of lysozyme by individual human mononuclear phagocytes: relationship to cell maturity 402

J. Harvey, D. B. Jones & D. H. Wright: Differential expression of MHC- and macrophage-associated antigens in human fetal and postnatal small intestine 409

M. Čolić, L. J. Popović, S. Gašić, V. Dragojević-Simić, N. M. Milićević, D. Matanović & A. Dujić: Immunohistochemical characterization of rat thymic non-lymphoid cells. II. Macrophages and granulocytes defined by monoclonal antibodies 416

B. Schick: Cleavage of a rat serosal mast cell membrane component during degranulation mediated by chymase, a secretory granule protease 423

A. Dobrina, T. M. Carlos, B. R. Schwartz, P. G. Beatty, H. D. Ochs & J. M. Harlan: Phorbol ester causes down-regulation of CD11/CD18-independent neutrophil adherence to endothelium 429

R. Moqbel, A. J. MacDonald, O. Cromwell & A. B. Kay: Release of leukotriene C_4 (LTC_4) from human eosinophils following adherence to IgE- and IgG-coated schistosomula of *Schistosoma mansoni* 435

P. L. Lim & W. F. Choy: A thymus-independent (type 1) phosphorylcholine antigen isolated from *Trichinella spiralis* protects mice against pneumococcal infection 443

M. Khanna, U. C. Chaturvedi, M. C. Sharma, V. C. Pandey & A. Mathur: Increased capillary permeability mediated by a dengue virus-induced lymphokine 449

V. Del Gobbo, N. Villani, S. Marini, E. Balestra & R. Caliò: Suppressor cells induced by influenza virus inhibit interleukin-2 production in mice 454

D. L. Wallace & P. C. L. Beverley: Phenotypic changes associated with activation of $CD45RA^+$ and $CD45RO^+$ T cells 460

D. B. Williams, M. A. Perera, K. J. Dorrington & M. H. Klein: Respective contribution of intracellular calcium release and extracellular calcium influx for interleukin-2 synthesis in activated T-cell hybrids 468

D. Nelson, D. Strickland & P. G. Holt: Selective attrition of non-recirculating T cells during normal passage through the lung vascular bed 476

M. Ogimoto, Y. Yoshikai, G. Matsuzaki, S. Ohga, K. Matsumoto & K. Nomoto: Clonal deletion of self-Mls-reactive thymocytes at the early stages in H-2-compatible but Mls-disparate radiation chimeras 482

Brief communications

R. H. Vonderheide & S. V. Hunt: Does the availability of either B cells or $CD4^+$ cells limit germinal centre formation? 487

J. J. Murphy, M. Tracz & J. D. Norton: Patterns of nuclear proto-oncogene expression during induced differentiation and proliferation of human B chronic lymphocytic leukaemia cells 490

Vol. 69 No. 4 April 1990

S. Brocke, M. Dayan, J. Rothbard, S. Fuchs & E. Mozes: The autoimmune response of different mouse strains to T-cell epitopes of the human acetylcholine receptor α subunit 495

S. Shyp, A. Tishon & M. B. A. Oldstone: Inhibition of diabetes in BB rats by virus infection. II. Effect of virus infection on the immune response to non-viral and viral antigens 501

T. J. Goldschmidt, L. Jansson & R. Holmdahl: *In vivo* elimination of T cells expressing specific T-cell receptor Vβ chains in mice susceptible to collagen-induced arthritis 508

E. M. Andrew, W. Annis, M. Kahan & R. N. Maini: CD5 (Ly-1)-negative, conventional splenic B cells make a substantial contribution to the bromelain plaque-forming cell response in CBA and BW mice 515

M. E. Devey, P. J. Major, K. M. Bleasdale-Barr, G. P. Holland, M. C. Dal Canto & P. Y. Paterson: Experimental allergic encephalomyelitis (EAE) in mice selectively bred to produce high affinity (HA) or low affinity (LA) antibody responses 519

J. Naessens, J. Newson, N. McHugh, C. J. Howard, K. Parsons & B. Jones: Characterization of a bovine leucocyte differentiation antigen of 145,000 MW restricted to B lymphocytes 525

A. Vallé, P. Garrone, H. Yssel, J.-Y. Bonnefoy, A. S. Freedman, G. Freeman, L. M. Nadler & J. Banchereau: mAb 104, a new monoclonal antibody, recognizes the B7 antigen that is expressed on activated B cells and HTLV-1-transformed T cells 531

G. Pawelec: $CD4^+$ $CD45R^-$ suppressor-inducer T-cell clones: requirements for cellular interaction, proliferation and lymphokines for the induction of suppression in peripheral blood mononuclear cells 536

R. H. Vonderheide & S. V. Hunt: T lymphocytes in rat germinal centres belong to an $ER3^+$ subpopulation of $CD4^+$ cells 542

A. Sica, K. Matsushima, J. Van Damme, J. M. Wang, N. Polentarutti, E. Dejana, F. Colotta & A. Mantovani: IL-1 transcriptionally activates the neutrophil chemotactic factor/IL-8 gene in endothelial cells 548

M. A. Rodriguez, J. B. De Sanctis, A. M. Blasini, M. Leon-Ponte & I. Abadi: Human IFN-γ up-regulates IL-2 receptors in mitogen-activated T lymphocytes 554

A. Haque, M. Chamekh, J. Cornelis, A. Capron & S. Haque: A monoclonal antibody to Ly-6 gene product inhibits generation of functionally active T cells and recognizes single antigenic specificity whose expression is up-regulated in virus-transformed rat fibroblast 558

A. McI. Mowat & P. A. Leck: Generalized toxicity of L-leucyl-leucine-methyl ester for lymphocyte functions 564

F. Y. Liew, C. Parkinson, S. Millott, A. Severn & M. Carrier: Tumour necrosis factor (TNFα) in leishmaniasis. I. TNFα mediates host protection against cutaneous leishmaniasis 570

E. A. Macintyre, P. J. Roberts, R. Abdul-Gaffar, J. Morgan & D. C. Linch: Activation of monocytic cells by monoclonal antibodies to the CD11a/18 (LFA-1) complex: mediation by Fc receptor 574

G. Zabucchi, R. Menegazzi, R. Cramer, E. Nardon & P. Patriarca: Mutual influence between eosinophil peroxidase (EPO) and neutrophils: neutrophils reversibly inhibit EPO enzymatic activity and EPO increases neutrophil adhesiveness 580

A. W. Stadnyk, H. Baumann & J. Gauldie: The acute-phase protein response in parasite infection. *Nippostrongylus brasiliensis* and *Trichinella spiralis* in the rat 588

J. F. Christie, B. Dunbar, I. Davidson & M. W. Kennedy: N-terminal amino acid sequence identity between a major allergen of *Ascaris lumbricoides* and *Ascaris suum*, and MHC-restricted IgE responses to it 596

J. Clayton, S. M. Rhind, D. J. Groves & B. A. Morris: Pharmacokinetic studies of passively administered ovine anti-testosterone antibodies given to cattle by the subcutaneous and intravenous routes 603

A. Rifai & C.-G. Wu: Clearance kinetics, tissue localization and fate of I_gA–anti-idiotype complexes 610

D. J. Quint, S. P. Buckham, E. J. Bolton, R. Solari, B. R. Champion & E. D. Zanders: Immunoregulation in the common marmoset, *Calithrix jaccus*: functional properties of T and B lymphocytes and their response to human interleukins 2 and 4 616

Brief communications

G. De Panfilis, G. C. Manara, C. Ferrari, C. Torresani & G. Rowden: Subsets of keratinocytes and Langerhans' cells express epitopes associated with suppressor-inducer capabilities in resting and normal human epidermis 622

V. Holáň & M. Lipoldová: Tumour-bearing animals synthesize a decreased level of mRNA for the inducible 55,000 MW interleukin-2 receptor 626

O. E. Campetella, N. V. Galassi & H. A. Barrios: Contrasuppressor cells induced by Junin virus 629

Book review 632

Author and subject indexes for Volume 69 633